



Email : sales@laboratoryinstrumentindia.com

Product Name :
CIP Unit

Product Code :
LBNY-0005-1070001



Description :

The uses a stainless steel centrifugal pump to provide high throughputs for efficient cleaning. Achievable flow rates are dependent on the back pressure generated by the system being cleaned. Operation is simple on/off control which gives the maximum flow rate for efficient cleaning. Flow rates may be adjusted using a backpressure valve (not supplied). Capacities up to 4.0 m³/h are achievable with low backpressure systems. A stainless steel splash cover protects the pump from spray during laboratory/pilot plant cleaning. A small footprint and is mounted on a mobile platform meaning that it can easily be positioned in a lab or pilot environment to meet local CIP needs.

Technical Specification :

Technical Specifications:

Centrifugal pump (0-4 bar, 300-4000 L/h)
5L feed vessel

Features & Benefits:

High pressure hygienic flexible hoses and fittings for quick connection to equipment
5L stainless steel hopper for cleaning solutions
Mobile unit with small footprint providing local CIP capability for pilot scale equipment
Simple on/off pump control
Stainless steel pump motor splash cover
Produces cleaning velocities in excess of the industry standard 1.5 m/s in systems
Capable of flow rates up to 4.0 m³/h.



Laboratory Instrument India